



**MOHOC**



**Tactical**  
Helmet Cameras



[mohoc.com](http://mohoc.com)



MOHOC believes the world's toughest war fighters deserve equipment worthy of their mission.

Everything we create is purpose-built for elite operators working in the harshest operational conditions.

Our cameras are the tactical video sensors at the tip of the C6ISR spear.

# Contents

Introduction	4
MOHOC® Cameras (video recording)	5
MOHOC® 2 Cameras (video streaming)	9
Accessories	15
Specifications	19
NATO/National Stock Numbers	21

# Video Capture & Situational Awareness at the Tactical Edge

Since its inception in 2014, MOHOC, Inc. has been at the forefront of tactical innovation, dedicating itself to empowering military and law enforcement teams across the globe. Our commitment to providing purpose-built, cutting-edge technology is reflected in MOHOC® and MOHOC® 2 Cameras, devices conceived with the singular purpose of improving video capture and situational awareness for elite operators.

Engineered for exceptional durability, the original MOHOC® Cameras are uniquely designed to work seamlessly with a wide range of helmets, ensuring they stay out of the way while capturing the operation. They offer high-definition and infrared video recording, making them indispensable for after-action review, training, and evidence collection.

Building on that DNA, the new MOHOC® 2 Cameras are designed for real-time video streaming over tactical communication networks. In both defense and law enforcement, the imperative for improved situational awareness is unparalleled. MOHOC® 2 Cameras epitomize this strategic necessity; offering seamless live video streaming via tactical radios, data/power hubs, and EUDs.

With a legacy rooted in enhancing mission capabilities, MOHOC continues to serve those who defend and protect. Our helmet cameras are more than just equipment; they are a critical operational ally.

MOHOC® Cameras provide increased image and video capture for the Tactical Operator.





The ultimate standalone recording device for daylight or dark operations and training.

## MOHOC® Cameras

### MOHOC® & MOHOC IR®

Visible light and infrared recording devices

#### THE WORLD'S FIRST MILITARY-OPTIMIZED HELMET CAMERAS

MOHOC® Cameras are the original, standalone recording devices with revolutionary form-factor, ruggedization, and user interface. The patented helmet-contoured base and low-profile housing eliminate snag hazards experienced by consumer cameras.

Waterproof to 10m/33ft and drop-proof to 2m/6.5ft, MOHOC® is military-grade tough and IP68 rated. Its single button tactile control with vibration feedback enables intuitive operation even in the harshest conditions.

#### MISSION CRITICAL, HD VIDEO & IMAGES IN ALL LIGHT CONDITIONS

Both MOHOC® and MOHOC® IR Cameras capture razor-sharp 1080p HD video and 12MP photos in visible light, low light, and white light.

The MOHOC® IR model also captures images in total darkness when used with infrared illumination (always records in black & white).

#### NEAR-RANGE WI-FI VIDEO STREAM

Activate MOHOC's simple, rapidly deployed, Wi-Fi live stream and pair with the MOHOC iOS or Android app for near-range video transmission of up to 23m/75ft.

Technical specifications on page 19.



# Key Features



## LENS ROTATION

Infinite mounting options and filming perspectives



## DUAL POWER

Two CR123A or rechargeable Li-ion for battery versatility



## LIVE STREAMING WI-FI APP

Securely connect & control with iOS or Android devices



## FULL HD VIDEO

1080p @ 60FPS



## DUAL CAPTURE

Simultaneously take photos while recording video



## 12MP CAMERA

Manual, photo burst and time lapse



## SNAG FREE OPERATIONS

Low profile, helmet-optimized form factor



## MISSION READY

Military ruggedized, 2m (6.5ft) drop test



## WATERPROOF

Waterproof to 10m (33ft), IP68 rated



## CURVELOCK™ SYSTEM

Contoured to fit combat helmets securely



## ONE TOUCH OPERATION

Single finger toggle, ideal when wearing gloves



## DARK-USE SAFE

Vibration feedback and zero white light discharge



## VELCRO® MOUNT

Instant secure attachment, no mounting hardware



## LOW LIGHT & INFRARED

Auto low light adjustment & IR enabled model



## WIDE ANGLE & TRUE FOV

Securely connect & control with iOS or Android devices



In the challenging and demanding environments of military and law enforcement operations, the MOHOC® Cameras stand out as the ultimate tactical recording solution. Revered by elite forces globally, these cameras are not just equipment but a partner in the field.

# Camera Comparison

While both MOHOC® and MOHOC IR® models share the same form factor, ruggedization and video and photo capture ability, there are some distinct differences, highlighted to the right.

MOHOC® (MHDBK)



MOHOC® IR (MHIRBK)



## Camera performance in visible light



- Daylight camera captures
  - day light
  - low light
  - white light
- Records in full color



- Infrared camera captures
  - day light
  - low light
  - white light
- Records in black and white under both visible and IR light

## Camera performance in zero visible light using IR illumination



- Cannot capture IR illumination\*



- Only MOHOC® IR captures IR illumination\*
- Records in black and white

\*Both images shot in darkness with Surefire® IR Scout Light®



Real-time streaming video sensors, custom-built for 'plug-and-play' integration with tactical comms.

## MOHOC® 2 Cameras

### Situational Awareness At The Tactical Edge

IP, SDI, and USB-UVC Video Platforms

#### ENHANCING THE HYPER-ENABLED OPERATOR

Responding to the rapidly evolving C&ISR landscape, MOHOC® 2 delivers real-time video streaming over the Integrated Tactical Network.

#### PLUG-AND-PLAY COMMS INTEGRATION

Designed as a customizable platform, MOHOC® 2 is available in three models: SDI, IP, and USB-UVC video protocols. Each model is designed specifically for integration with different radios, power/data hubs, and EUDs.

#### 20X IMPROVED LOW-LIGHT SENSITIVITY

MOHOC® 2 utilizes a radically improved sensor offering 20X better low-light performance than its predecessor MOHOC® Camera, and is capable of capturing video under moonless starlight.

#### MOHOC® DNA BUILT IN THE USA

The camera is smaller, lighter, and simpler to operate than the original MOHOC®, but with the same revolutionary low-profile, helmet-contoured form factor and military-grade ruggedization.



Technical specifications on page 19-20.

# Video Output Options

## IP Model



Built for mesh radios that accept IP video.

## SDI Model



Built for radios that accept SDI video such as the Persistent Systems™ MPU5 MANET or DTC SOL8DSR-H2.

## USB-UVC Model



Built for radios that accept USB-UVC video and power/data hubs such as Glenair STAR-PAN™.

In addition to these three current models, MOHOC is developing models featuring IP over USB (RNDIS), Wi-Fi, HDMI, and H.265 streaming. MOHOC® 2 can be custom-built for different rear port/connector/pin assignments to meet different comms specifications.

Please contact MOHOC for further information.

## Key Features



### LENS ROTATION

Infinite mounting options and perspectives



### LIVE STREAMING

Live stream video over tactical radios



### WATERPROOF

IP50 with Standard connectors, IP68 with optional connectors



### FULL HD VIDEO

1080p @ 60FPS



### LOW LIGHT

20x Upgraded Low light capability for exceptional footage in darkness (0.006 LUX)



### DARK-USE SAFE

Silent and zero white light discharge



### SNAG FREE OPERATIONS

Low profile, helmet-optimized form factor



### CURVELOCK™ SYSTEM

Contoured to fit combat helmets securely



### WIDE ANGLE & TRUE FOV

120 degree non-distorted field of view



### VELCRO® MOUNT

Instant secure attachment, no mounting hardware

## Available Colors

Black



Tan



Mil Green



All models are available in these 3 Colors.

Responding to the evolving needs of the Hyper-Enabled Operator and Integrated Tactical Network, the MOHOC® 2 Camera delivers real-time video streaming over hand-held radios.





Since 2014, MOHOC® Cameras have been in service with many Military and Tactical Law Enforcement organisations around the world.

No other helmet camera has been designed from the ground up to meet the exacting requirement of today's Military and Tactical Law Enforcement teams.

**MOHOC**

"The MOHOC camera is revolutionary and completely tailored to the field of the tactical operator. It has been built from the ground up to fit our needs. We attest to its durability, reliability, and functionality."

**US Tactical Operations Group**



Increase the capabilities of your MOHOC® & MOHOC® 2 Cameras with these accessories

## Accessories

### Multi-Mount

Extend the functionality of your camera beyond the helmet

#### DEVELOPED SPECIFICALLY FOR USE WITH MOHOC® CAMERAS

This purpose-built tactical accessory allows MOHOC® Cameras to securely mount on flat surfaces, tripods, weapon rails, and hundreds of action camera mounts.

Instantly secure your MOHOC®, MOHOC® IR, or MOHOC® 2 Camera to the top of the Multi-Mount with industrial-grade Velcro®. Then use the anchor points on the bottom to attach the Multi-Mount wherever your operation demands.



- 1 Flat base with VELCRO® hook to attach to flat surfaces
- 2 1/4" 20 nut to connect to tripod or Action Camera Mount
- 3 Picatinny Mount & KeyMod™ attachment holes



Includes Multi-Mount, picatinny adaptor, action camera adaptor (MH-MM)



Picatinny rail mount



Tripod mount



Action camera mount

## Hardwire Door

Cable access during operations

### ENSURE CONSTANT POWER SUPPLY AND/OR CONTINUOUS LIVE VIDEO STREAM

As the video sensors of the networked battlefield, MOHOC® Cameras sometimes require constant power supply and/or continuous live video stream.

The MOHOC Hardwire Door allows access to the micro USB and micro HDMI ports without exposing the battery and internal components.

Tactically configured 90° cables ensure MOHOC remains low profile, while ruggedized seals keep the camera resistant to water and dust.

The Hardwire Door is easily installed even when wearing gloves, and interchangeable with the standard door when complete waterproofing is required. Compatible with MOHOC®, MOHOC® IR (not compatible with MOHOC® 2).



90° cables maintain low profile design



Micro HDMI and Micro USB ports



Includes Hardwire Door & cables (MH-HWD)



Other accessories to further enhance the versatility of MOHOC® & MOHOC® 2 Cameras

## K9 Mount

Capture the K9's point of view

### MAN'S BEST TACTICAL ASSET

Record or stream the K9 perspective in a way never seen before. Comfortably and securely positioned on a dog's head, the MOHOC® with K9 Mount shows exactly what a dog detects.

Lightweight, padded, tactical nylon harness with 4-point adjustable Velcro®. Fits all medium to large working dogs.



Available in Tan (MH-K9T) and Black (MH-K9BK)

## Shoulder Mount

Capture a different perspective

### THE ULTIMATE BODY CAM

Built with tactical nylon and secured by industrial-grade Velcro®, it's compatible with vests, chest rigs, backpacks, and other shoulder straps. Once positioned, simply turn the rotating lens on the MOHOC® or MOHOC® 2 to ensure a level shot.



Available in Tan (MH-SMT) and Black (MH-SMBK)

## MOLLE Case

Ruggedized, tactical and secure case

### STASH, STORE, SECURE

When not deployed, protect your MOHOC® in this MOLLE compatible, tactical-nylon case. With ruggedized buckle and microfiber cushion over the lens, the MOLLE Case is basecamp for an off-duty MOHOC®.



Available in Tan (MH-MMT) and Black (MH-MCBK)

## Spare Gear

Genuine spares and replacements

### ARRIVE PREPARED

Equip yourself with genuine MOHOC® spare and replacement parts including Velcro® mounting strips, Li-ion batteries, and MicroSD cards.



# Technical Specifications

## MOHOC® & MOHOC® IR Cameras

<b>Video</b>	1080p at 60/30 FPS Full HD. 720p at 120/60/30 FPS
<b>Photo</b>	12 MP. Manual photo, photo burst, time lapse (photo every 60, 30, 5, or 3 seconds)
<b>Image Quality (MOHOC®)</b>	Full HD Color in visible light
<b>Image Quality (MOHOC® IR)</b>	Full HD Black & White in visible and IR light spectrum from 420nm to 950nm
<b>Dual Capture</b>	Ability to take still photos while simultaneously recording video
<b>Waterproof</b>	10 meters (33ft). IP68 rated in standard case (without additional case or housing)
<b>Durability</b>	2 meter (6.5ft) drop test
<b>Microphone</b>	Stereo
<b>Wireless</b>	Wi-Fi 802.11b/g/n
<b>Memory</b>	MicroSD™ card compatible up to 64GB. Class 10 or higher required. Card not included
<b>Battery</b>	5+ hrs operation with 2x CR123A Lithium batteries (not included) and 2 hr 45 minutes with MOHOC® Li-Ion Rechargeable battery pack (included)
<b>Optics/Lens</b>	Aperture F2.8, 140° Field of View, and CMOS Sensor
<b>Low Light</b>	Auto adjustment for optimal recording in low light environments
<b>Rotating Lens</b>	Manually rotate lens up to 190° to record horizontal video from any mounting position
<b>Secure Attachment</b>	Velcro® attachment direct to helmet or helmet cover. Lanyard included to tether for additional security
<b>Additional Settings</b>	Loop recording, video orientation adjustment, date & time stamp, and power save mode
<b>Kit Includes</b>	MOHOC® Camera, 1100mAh Rechargeable battery, 2 Velcro® mounting strips, USB cable, lanyard and bag

## MOHOC® 2 CAMERAS

<b>Image Sensor</b>	1/2.8" Color CMOS (back illuminated pixels for ultra-low light)
<b>Minimum Illumination</b>	0.006Lux @F2.0
<b>Optics/Lens</b>	Aperture F2.0, 120° Field of View
<b>Scanning System</b>	Progressive Scan
<b>Durability</b>	2m (6.5ft) drop test
<b>Waterproof</b>	IP50 standard connectors, IP68 connectors optional
<b>Low Light</b>	Auto adjustment for optimal recording in low light environments
<b>Rotating Lens</b>	Manually rotate lens up to 190° to stream horizontal video from any mounting position
<b>Secure Attachment</b>	Curvelock™ base designed to match helmet curvature, provides unprecedented low-profile, secure attachment via Velcro® direct to helmet or helmet cover
<b>Operating Temperature</b>	14°F~131°F (-10°C~+55°C)
<b>Dimensions</b>	80mm (3.2in) long x 41mm (1.6in) wide x 32mm (1.2in) tall
<b>Weight</b>	71grams (2.5oz)

# MOHOC® 2 Detailed Specifications

## IP Model

<b>Output</b>	2 x H.264, 1 x MJPEG
<b>Resolution</b>	1920x1080, 1280x720, 800x600, 704x480, 704x400, 640x480, 640x360, 320x240
<b>FPS</b>	30, 15, 10, 6, 5, 3, 2, 1fps (60hz) or 25, 12, 8, 5, 1fps (50hz)
<b>Bitrate</b>	1~20Mbit (6Mbit)
<b>Bitrate Control</b>	Off, VBR, CBR
<b>Stream Options</b>	RTSP address for 1st/2nd H.264 and MJPEG Stream
<b>Network Protocol</b>	TCP/IP, UDP/IP, RTP, RTSP, RTCP, NTP, HTTP, DHCP, FTP, SMTP, DNS, DDNS, Onvif
<b>On-Screen Display</b>	Available Via Web Browser
<b>Power Consumption</b>	DC6~18V, Max.130mA@DC12V
<b>Connection</b>	Ethernet (data), DC power

## SDI Model

<b>3G-SDI Stream</b>	1080p25/30/50/60, 720p25/30, 720p50/60, 1080i50/60
<b>Analogue Stream</b>	CVBS
<b>On-Screen Display</b>	Available via OSD Switch & Serial Port (accessory cable required)
<b>Power Consumption</b>	DC5~18V, Max.130mA@DC12V
<b>Connection</b>	Video Output (HD BNC), Power (USB)
<b>Communication</b>	Yes (RS485 ) // RX only

## USB-UVC Model

<b>Output</b>	MJPEG: 1080/720p
<b>Resolution</b>	Max. 1080p (1920 x 1080)
<b>FPS</b>	Max. 25/30fps (50/60Hz)
<b>Connection</b>	Glenair 807 or Standard USB cable
<b>Exposure</b>	Auto
<b>White Balance</b>	Auto
<b>Gain Control</b>	Auto
<b>Power</b>	USB 5V, Consumption: Max. 180mA@DC5V
<b>Support</b>	Windows, Linux, Mac, Android, etc.

MOHOC® 2 is currently available in three models: SDI, IP, and USB-UVC video protocol. Additional models featuring IP over USB (RNDIS), Wi-Fi, HDMI, and H.265 streaming are in development. MOHOC® 2 is customizable for different rear port/connector/pin assignments to meet different comms specifications.

Please contact MOHOC for further information.

# NATO/National Stock Numbers

## MOHOC CAGE CODE: 7FD83

Camera	NSN Item Name	MOHOC Model #	NSN
MOHOC® Camera MOHOC daylight camera, rechargeable battery, lanyard, bag, Velcro® patch, Micro USB cable, Quick Start Guide	Camera: Recording Video	MHDBK	5836-01-672-5757
MOHOC® IR Camera MOHOC infrared camera, rechargeable battery, lanyard, bag, Velcro® patch, Micro USB cable, Quick Start Guide	Camera: Infrared Industrial	MHIRBK	6635-01-671-1512

Accessory	NSN Item Name	MOHOC Model #	NSN
MOHOC® Multi-Mount	Spare Parts Kit, Camera	MH-MM	6780-01-681-3371
MOHOC® Hardwire Door	Housing, Electrical Components	MH-HWD	5999-01-682-9621
MOHOC® K9 Mount, Tan	Harness, Dog Leading	MH-K9T	3770-01-682-9431
MOHOC® K9 Mount, Black	Harness, Dog Leading	MH-K9BK	3770-016-829-433
MOHOC® Shoulder Mount, Tan	Shoulder Strap, Packboard	MH-SMT	8465-01-682-9445
MOHOC® Shoulder Mount, Black	Shoulder Strap, Packboard	MH-SMBK	8465-01-682-9448
MOHOC® MOLLE Case, Tan	Case, Camera	MH-MCT	5820-01-682-9450
MOHOC® MOLLE Case, Black	Case, Camera	MH-MCBK	5820-01-681-3572
MOHOC® Velcro® Mounting Strips, Coyote, 5pk	Fastener Tape, Pile	MH-VL5C	5325-01-682-9434
MOHOC® Velcro® Mounting Strips, Black, 5pk	Fastener Tape, Pile	MH-VL5BK	5325-01-681-3431
MOHOC® Li-on Rechargeable Battery, 1100mAh	Battery, Storage	MH-B	6140-01-681-3534
MOHOC® USB Cable	Cable Assembly, Special Purpose, Electrical	MH-USB	5995-01-682-9610
MOHOC® Lanyards, 5pk	Cord, Fibrous	MH-LYRD5	8305-01-682-9619

"The clarity and sound of MOHOC® Cameras in training or combat far exceed the competitors. In preparation for our deployment, we used the camera for training and after-action review. While in Afghanistan we also found it a useful tool in combat."

**US Army**





Contact MOHOC to learn more.

+1.208.806.1391

info@mohoc.com

www.mohoc.com

MOHOC® Cameras are dual-use, non-ITAR-controlled items; intended for military, law enforcement, first responders, as well as civilian and sport applications. International orders may ship from outside the United States.

Patents issued & trademarks registered.  
© 2024 MOHOC, Inc. All rights reserved.

Find mohocinc on:

